



????? - ?????? ?? ?? - MEDAVITA

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???



MEDAVITA

✉ bbazar@globelife.com
☎ +39 0331 1706328

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???

???? ?? ??? ?????? ?????? ? ??????? ? ???? ???? ?????? ? ????? ?? ?? ? ?????? ?? ?? ? ??
?? ?????.

?? MILK ?? pH iperproteico 5.8
??? ?????? ?? ????? ? ?? ?? ?????? ??? ? ?????? ???.
1000 ????? ????? ????

?? ?????? COSMETIC pH ?????? 5.8
????? ??? ? ??? ? ?? ?? ?????? ?? ??? ????? ??? ?????? ?? .???? ?????? ????? 250 ????? ??????
???? ??? ??? 1000 ????? ????

??? ??? ?? ??? ????? ? ????? ?? ??? ??? ??????????. 250 ????? ????? ????

?? DET. pH ? ??????? ???? 5.5
????? ?????? ??? ?? ?????? ? ?????? ?????? ????? ?????? ?? ?? ?? ????? ??? ??? . 1000 ????
???? ?????.

?? ?????????? DOPOCOLORE pH ?????? 3.5
???? ? ?????? ????? ??? ?? ??? ?????? ????? ??????. ??? 7 ????? ????? ?????? 24 ???.

?? ?? ?? pH ??????? 4.5
?????? ??? ?????? ??????? ????? ?????? ??? ??? / ????? ????? ?????? ? ?????.
250 ????? ????? ????