



????? - ?????? ?? ?? - MEDAVITA

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???



✉ bbazar@globelife.com
☎ +39 0331 1706328

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???

???? ?? ??? ?????? ?????? ? ?????????? ?? ??? ??? ?????????? ? ?????? ?? ?? ? ?????????? ?? ?? ? ??
?? ??????

?? MILK ?? pH iperproteico 5.8
??? ?????????? ?? ????? ? ?? ?? ?????? ??? ? ?????? ???.
1000 ?????? ?????? ??????

?? ?????? COSMETIC pH ?????? 5.8
????? ??? ? ?????? ? ?? ?? ?????? ?? ??? ?????? ??? ?????? ?? . ?????? ?????? ?????? 250 ?????? ??????
????? ??? ??? 1000 ?????? ??????

??? ??? ?? ??? ?????? ? ?????? ?? ??? ??? ??????????. 250 ?????? ?????? ??????

?? DET. pH ? ?????????? ?????? 5.5
????? ?????? ??? ?? ?????? ? ?????????? ?????? ?????? ?????? ??? ?? ?? ?????? ??? ??? . 1000 ??????
????? ??????

?? ???????????? DOPOCOLORE pH ?????? 3.5
????? ? ?????????? ?????? ??? ?? ??? ?????? ?????? ?????????? . ?????? 7 ?????? ?????? ?????????? 24 ???.

?? ?? ?? pH ?????????? 4.5
????????? ??? ?????????? ?????????? ?????? ?????????? ??? ??? / ?????? ?????? ?????????? ? ??????
250 ?????? ?????? ??????